



UNIVERSITY OF CALIFORNIA PRESS
JOURNALS + DIGITAL PUBLISHING



The Overlooked Benefits of Wildfire

Author(s): Chad T. Hanson, Dominick A. Dellasala and Monica L. Bond

Source: *BioScience*, Vol. 63, No. 4 (April 2013), p. 243

Published by: [University of California Press](#) on behalf of the [American Institute of Biological Sciences](#)

Stable URL: <http://www.jstor.org/stable/10.1525/bio.2013.63.4.21>

Accessed: 22/05/2013 20:39

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.



University of California Press and American Institute of Biological Sciences are collaborating with JSTOR to digitize, preserve and extend access to BioScience.

<http://www.jstor.org>

nature and people. Strategies that serve both people and nature can broaden the political and financial support for conservation (Marvier and Wong 2012). Although we agree that economic activities are the source of many conservation problems, we do not conclude that economic growth per se is the foe of conservation.

Like our critics, we want a world with large, relatively untrammelled open spaces and a world that does not suffer the loss of species both great and small. We want a world in which people have the opportunity to enjoy the surprises and inspiration of nature. The question is how we most effectively achieve this future in which both nature and people thrive. We would place more bets than would Noss and his coauthors on working with corporations, on pursuing rights-based management (community or private) of resources rather than exclusion or no-take zones, and on making a promise that conservation do no harm to people. We are all passionate about conservation—and just as conservationists prize the diversity of plants and animals and the evolutionary processes that shape them (Soulé 1985), the field might do well to similarly advance a diversity of approaches and then let science—both natural and social science—be the arbiter of which strategies are most effective.

PETER KAREIVA

MICHELLE MARVIER

Peter Kareiva (pkareiva@tnc.org) is affiliated with The Nature Conservancy, in Seattle, Washington.

Both he and Michelle Marvier (mmarvier@scu.edu) are affiliated with the Department of Environmental Studies and Sciences at Santa Clara University, in Santa Clara, California.

References cited

- Kareiva P, Marvier M. 2012. What is conservation science? *BioScience* 62: 962–969.
 Marvier M, Wong H. 2012. Resurrecting the conservation movement. *Journal of Environmental Studies and Sciences* 2: 291–295.
 Soulé ME. 1985. What is conservation biology? *BioScience* 35: 727–734.

doi:10.1525/bio.2013.63.4.20

The Overlooked Benefits of Wildfire

Stephens and colleagues (2012) examined the efficacy of fuel treatments in reducing susceptibility to uncharacteristically severe fires in seasonally dry US forests. They were overly optimistic in stating that the effects of thinning on wildlife have “few unintended consequences” with “very subtle effects or no measurable effects at all” and failed to recognize the ecological benefits of high-severity fires that are actually below historic levels.

Stephens and colleagues did not include studies documenting adverse effects of thinning on small mammal prey species for northern spotted owls (*Strix occidentalis caurina*; e.g., Meyer et al. 2005) or on rare species, such as black-backed woodpeckers (*Picoides arcticus*; Hutto 2008). Nor did they address “ecological trap” phenomena created by silvicultural activities without evolutionary precedent—a factor that can draw declining postfire specialists like olive-sided flycatchers (*Contopus cooperi*) into managed environments wherein they suffer poor nest success (Robertson and Hutto 2007).

Moreover, Stephens and colleagues did not fully represent the benefits of high-severity fire by limiting analysis to the earliest postfire period (0–4 years postfire), thus excluding the portions of the data sets that they used that show that more bird species increase than decrease in high-severity fire areas after several years. In addition, the impetus for thinning is overstated. Only one study from one region is cited to suggest that fire severity is increasing and that it should be mitigated via thinning, but the authors did not mention that current data show no increase in fire severity in many western US regions. Nor did Stephens and colleagues account for thinning’s impacts on imperiled species dependent on high-severity fire that have already experienced a severe loss of suitable habitat from fire suppression, such as the buff-breasted flycatcher (*Empidonax fulvifrons*) in southwestern US forests (Conway and Kirkpatrick 2007).

There is an urgent need for scientists to report on the myriad ecosystem benefits of wildfires, including high-severity fires, and to effectively document the impacts of fuel treatments on wildlife, especially rare species, so that managers are fully aware of the trade-offs involved.

CHAD T. HANSON

DOMINICK A. DELLASALA

MONICA L. BOND

Chad T. Hanson (cthanson1@gmail.com) is affiliated with the Earth Island Institute, in Berkeley, California.

Dominick A. DellaSala (dominick@geosinstitute.org) is the president and chief scientist of the Geos Institute, in Ashland, Oregon. Monica L. Bond is affiliated with the Wild Nature Institute, in Hanover, New Hampshire.

References cited

- Conway CJ, Kirkpatrick C. 2007. Effect of forest fire suppression on buff-breasted flycatchers. *Journal of Wildlife Management* 71: 445–457.
 Hutto RL. 2008. The ecological importance of severe wildfires: Some like it hot. *Ecological Applications* 18: 1827–1834.
 Meyer MD, North MB, Kelt DA. 2005. Short-term effects of fire and forest thinning on truffle abundance and consumption by *Neotamias speciosus* in the Sierra Nevada of California. *Canadian Journal of Forest Research* 35: 1061–1070.
 Robertson BA, Hutto RL. 2007. Is selectively harvested forest an ecological trap for olive-sided flycatchers? *Condor* 109: 109–121.
 Stephens SL, McIver JD, Boerner REJ, Fetting CJ, Fontaine JB, Hartsough BR, Kennedy PL, Schwilk DW. 2012. The effects of forest fuel-reduction treatments in the United States. *BioScience* 62: 549–560.

doi:10.1525/bio.2013.63.4.21

A Reply from Stephens and Colleagues

In response to our paper (Stephens et al. 2012), Hanson and colleagues state, “There is an urgent need for scientists to report on the myriad ecosystem benefits of wildfires, including high-severity fires.” Although we agree, the synthesis of information related to high-severity wildfire was not our objective. Despite this, we do recognize and highlight the ecological benefits of high-severity wildfire, at appropriate spatial and temporal scales.