

USDA Forest Service, Pacific Southwest Region
Sensitive Plant Species by Forest

2013 FS R5 RF Plant Species List	Klamath NF	Mendocino NF	Shasta-Trinity NF	Six Rivers NF	Lassen NF	Modoc NF	Plumas NF	Eldorado NF	Inyo NF	LTBMU	Tahoe NF	Sequoia NF	Sierra NF	Stanislaus NF	Angeles NF	Cleveland NF	Los Padres NF	San Bernardino NF	
	Scientific Name (Common Name)																		
<i>Abies bracteata</i> (Santa Lucia fir)																	X		
<i>Abronia alpina</i> (alpine sand verbena)									X										
<i>Abronia nana</i> ssp. <i>covillei</i> (Coville's dwarf abronia)									X										X
<i>Abronia villosa</i> var. <i>aurita</i> (chaparral sand verbena)																X			X
<i>Acanthoscyphus parishii</i> var. <i>abramsii</i> (Abrams' flowery puncturebract)															X		X		
<i>Acanthoscyphus parishii</i> var. <i>cienegensis</i> (Cienega Seca flowery puncturebract)																			X
<i>Agrostis hooveri</i> (Hoover's bentgrass)																	X		
<i>Allium hickmanii</i> (Hickman's onion)																	X		
<i>Allium howellii</i> var. <i>clokeyi</i> (Mt. Pinos onion)																	X		
<i>Allium jepsonii</i> (Jepson's onion)							X							X					
<i>Allium marvinii</i> (Yucaipa onion)																			X
<i>Allium tribracteatum</i> (three-bracted onion)								X						X					
<i>Allium yosemitense</i> (Yosemite onion)													X	X					
<i>Anisocarpus scabridus</i> (scabrid alpine tarplant)		X	X	X															
<i>Antennaria marginata</i> (white-margined everlasting)																			X
<i>Antirrhinum subcordatum</i> (dimorphic snapdragon)		X																	
<i>Arabis rigidissima</i> var. <i>demota</i> (Carson Range rock cress)										X	X								
<i>Arctostaphylos cruzensis</i> (Arroyo de la Cruz manzanita)																	X		
<i>Arctostaphylos edmundsii</i> (Little Sur manzanita)																	X		
<i>Arctostaphylos glandulosa</i> ssp. <i>gabrielensis</i> (San Gabriel manzanita)															X				X
<i>Arctostaphylos hooveri</i> (Hoover's manzanita)																	X		
<i>Arctostaphylos luciana</i> (Santa Lucia manzanita)																	X		
<i>Arctostaphylos nissenana</i> (Nissenan manzanita)								X						X					
<i>Arctostaphylos obispoensis</i> (Bishop manzanita)																	X		
<i>Arctostaphylos parryana</i> subsp. <i>tumescens</i> (interior manzanita)															X				X
<i>Arctostaphylos pilosula</i> (Santa Margarita manzanita)																	X		
<i>Arctostaphylos rainbowensis</i> (rainbow manzanita)																X			
<i>Arctostaphylos refugioensis</i> (Refugio manzanita)																	X		
<i>Arenaria lanuginosa</i> ssp. <i>saxosa</i> (rock sandwort)																			X
<i>Astragalus anxius</i> (Ash Valley milk-vetch)						X													
<i>Astragalus bernardinus</i> (San Bernardino milk-vetch)																			X
<i>Astragalus bicristatus</i> (crested milk-vetch)															X				X

Pacific Southwest Region, Regional Forester's Sensitive Species List. National direction for designation and management of sensitive species can be found in Forest Service Manual (FSM) 2670.

USDA Forest Service, Pacific Southwest Region
Sensitive Plant Species by Forest

Botrychium lunaria (common moonwort)	X			X	X	X	X	X	X	X	X	X	X					
Botrychium minganense (Mingan moonwort)	X		X	X	X	X	X	X	X	X	X	X	X					
Botrychium montanum (western goblin)	X			X	X	X	X		X	X	X	X	X					
Botrychium paradoxum (paradox moonwort)							X	X				X						
Botrychium pedunculatum (stalked moonwort)				X			X						X					
Botrychium pinnatum (northwestern moonwort)	X		X	X	X	X							X					
Botrychium pumicola (pumice moonwort)	X		X															
Botrychium tunux (moosewort)								X				X	X					
Botrychium yaaxudakeit (giant moonwort)								X				X	X					
Brodiaea insignis (Kaweah brodiaea)												X						
Brodiaea orcuttii (Orcutt's brodiaea)															X			
Brodiaea rosea (Indian Valley brodiaea)		X																
Brodiaea santarosae (Santa Rosa baslat brodiaea)															X			
Bruchia bolanderi (Bolander's bruchia)				X	X	X	X	X	X	X	X	X	X					
Buxbaumia viridis (green bug-on-a-stick)	X		X	X	X	X	X											
Calicium adpersum (stubble lichen)			X															
Calochortus clavatus var. avius (Pleasant Valley mariposa lily)							X						X					
Calochortus clavatus var. clavatus (club-haired mariposa lily)														X		X		
Calochortus clavatus var. gracilis (slender mariposa lily)														X		X		
Calochortus dunnii (Dunn's mariposa lily)															X			
Calochortus excavatus (Inyo County star-tulip)								X										
Calochortus fimbriatus (late-flowered mariposa-lily)														X		X		
Calochortus greenei (Greene's mariposa lily)	X		X															
Calochortus longebarbatus var. longebarbatus (long-haired star-tulip)			X	X	X													
Calochortus obispoensis (San Luis mariposa lily)																X		
Calochortus palmeri var. munzii (Munz's mariposa lily)																		X
Calochortus palmeri var. palmeri (Palmer's mariposa lily)												X		X		X	X	
Calochortus persistens (Siskiyou mariposa lily)	X																	
Calochortus simulans (San Luis Obispo mariposa lily)																X		
Calochortus striatus (alkali mariposa lily)												X		X				X
Calochortus weedii var. intermedius (intermediate mariposa lily)															X			
Calochortus westonii (Shirley Meadows star-tulip)												X						
Calycadenia micrantha (small-flowered calycadenia)		X	X													X		
Calycadenia oppositifolia (Butte County calycadenia)						X												
Calycadenia villosa (dwarf western rosinweed)																X		
Calyptidium pygmaeum (pygmy pussypaws)								X				X	X					X
Camissonia sierrae ssp. alticola (Mono Hot Springs evening-primrose)													X					
Camissoniopsis hardhamiae (Hardham's evening-primrose)																X		
Campanula shetleri (Castle Crags harebell)			X															
Campanula wilkinsiana (Wilkins' harebell)	X		X															
Canbya candida (pygmy poppy)												X		X				X

Pacific Southwest Region, Regional Forester's Sensitive Species List. National direction for designation and management of sensitive species can be found in Forest Service Manual (FSM) 2670.

USDA Forest Service, Pacific Southwest Region
Sensitive Plant Species by Forest

Erigeron miser (starved daisy)									X	X									
Erigeron multiceps (Kern River daisy)								X			X								
Erigeron uncialis var. uncialis (limestone daisy)								X											
Eriogonum alpinum (Trinity buckwheat)	X		X																
Eriogonum breedlovei var. breedlovei (Breedlove's buckwheat)											X								
Eriogonum butterworthianum (Buckworth's buckwheat)																		X	
Eriogonum evanidum (vanishing wild buckwheat)																X			X
Eriogonum hirtellum (Klamath Mountains buckwheat)	X			X															
Eriogonum kennedyi var. alpigenum (southern alpine buckwheat)														X			X		X
Eriogonum luteolum var. saltuarium (Jack's wild buckwheat)								X		X			X						
Eriogonum microthecum var. johnstonii (Johnson's buckwheat)														X					X
Eriogonum microthecum var. lacus-ursi (Bear Lake buckwheat)																			X
Eriogonum microthecum var. schoolcraftii (Schoolcraft's wild buckwheat)							X												
Eriogonum nervulosum (Snow Mountain buckwheat)		X																	
Eriogonum nudum var. regirivum (Kings River buckwheat)												X	X						
Eriogonum ovalifolium ssp. monarchense (Monarch buckwheat)												X	X						
Eriogonum prociduum (prostrate buckwheat)				X	X														
Eriogonum spectabile (Barron's buckwheat)				X															
Eriogonum tripodum (tripod buckwheat)	X							X											
Eriogonum twisselmannii (Twisselmann's buckwheat)												X							
Eriogonum umbellatum var. ahartii (Ahart's buckwheat)							X												
Eriogonum umbellatum var. glaberrimum (green buckwheat)					X														
Eriogonum umbellatum var. torreyanum (Donner Pass buckwheat)									X	X									
Eriogonum ursinum var. erubescens (blushing wild buckwheat)	X		X																
Eriogonum wrightii var. olanchense (Olanca Peak buckwheat)									X										
Eriophyllum congdonii (Congdon's woolly sunflower)													X	X					
Eriophyllum lanatum var. hallii (Fort Tejon woolly sunflower)																			X
Eriophyllum nubigenum (Yosemite woolly sunflower)														X					
Erythronium hendersonii (Henderson's fawn lily)	X			X															
Erythronium pluriflorum (Shuteye Peak fawn-lily)													X						
Erythronium pusaterii (Kaweah Lakes fawn-lily)													X						
Erythronium taylori (Pilot Ridge fawn-lily)														X					
Erythronium tuolumnense (Tuolumne fawn-lily)														X					
Eucephalis vialis (wayside aster)	X		X	X															
Fissidens aphelotaxifolius (brook pocket moss)	X						X						X	X					
Fissidens pauperculus (minute pocket moss)				X			X												
Frangula purshiana ultramafica (Caribou coffeeberry)					X		X												
Frasera umpquaensis (Umpqua green-gentian)	X		X	X															
Fritillaria brandegeei (Greenhorn fritillary)													X						
Fritillaria eastwoodiae (Butte County fritillary)			X		X		X				X								
Fritillaria falcata (talus fritillary)																			X

Pacific Southwest Region, Regional Forester's Sensitive Species List. National direction for designation and management of sensitive species can be found in Forest Service Manual (FSM) 2670.

USDA Forest Service, Pacific Southwest Region
Sensitive Plant Species by Forest

Hulsea vestita ssp. pygmaea (pygmy hulsea)								X			X			X			X	
Iliamna latibracteata (California globe mallow)			X	X														
Imperata brevifolia (California satintail)													X			X	X	
Iris hartwegii ssp. columbiana (Tuolumne iris)													X					
Iris munzii (Munz's iris)											X							
Ivesia pickeringii (Pickering's ivesia)	X		X															
Ivesia aperta var. canina (Dog Valley ivesia)										X								
Ivesia aperta var. aperta (Sierra Valley ivesia)						X				X								
Ivesia argyrocoma var. argyrocoma (silver-haired ivesia)																		X
Ivesia callida (Tahquitz ivesia)																		X
Ivesia longibracteata (Castle Crags ivesia)			X															
Ivesia paniculata (Ash Creek ivesia)						X												
Ivesia sericoleuca (Plumas ivesia)						X			X	X								
Ivesia webberi (Webber's ivesia)						X				X								
Juncus leiospermus var. leiospermus (Red Bluff dwarf rush)					X													
Juncus luciensis (Santa Lucia dwarf rush)				X		X				X								X
Lathyrus biflorus (two-flowered pea)				X														
Layia heterotricha (pale-yellow layia)																		X
Layia jonesii (Jones's layia)																		X
Lepechinia cardiophylla (heart-leaved pitcher sage)																	X	
Lepechinia fragrans (fragrant pitcher sage)																X		X
Lepechinia rossii (Ross' pitcher sage)															X		X	
Leptosiphon floribundus ssp. hallii (Santa Rosa Mountains leptosiphon)																		X
Leptosiphon nuttallii ssp. howellii (Mt. Tedoc leptosiphon)	X	X																
Leptosiphon serrulatus (Madera leptosiphon)										X	X							
Lessingia glandulifera var. tomentosa (Warner Springs lessingia)																	X	
Lewisia brachycalyx (short-sepaled lewisia)														X	X			X
Lewisia cantelovii (Cantelow's lewisia)			X			X				X								
Lewisia congdonii (Congdon's lewisia)											X	X	X					
Lewisia disepala (Yosemite lewisia)											X	X						
Lewisia kelloggii ssp. hutchinsonii (Hutchinson's lewisia)			X		X	X	X	X	X	X			X					
Lewisia kelloggii ssp. kelloggii (Kellogg's lewisii)				X		X	X	X	X		X	X						
Lewisia longipetala (long-petaled lewisia)						X		X	X									
Lewisia oppositifolia (opposite-leaved lewisia)				X														
Lewisia serrata (saw-toothed lewisia)						X			X									
Lewisia stebbinsii (Stebbins's lewisia)	X																	
Lilium parryi (lemon lily)														X	X			X
Limnanthes alba var. parishii (Parish's meadowfoam)															X			X
Limnanthes floccosa ssp. bellingeriana (Bellinger's meadowfoam)					X													
Linanthus concinnus (San Gabriel linanthus)															X			X
Linanthus jaegeri (San Jacinto prickly phlox)																		X

Pacific Southwest Region, Regional Forester's Sensitive Species List. National direction for designation and management of sensitive species can be found in Forest Service Manual (FSM) 2670.

USDA Forest Service, Pacific Southwest Region
Sensitive Plant Species by Forest

Phacelia cookei (Cooke's phacelia)	X		X																
Phacelia greenei (Scott Valley phacelia)	X		X																
Phacelia inundata (playa phacelia)	X				X	X													
Phacelia inyoensis (Inyo phacelia)									X										
Phacelia keckii (Santiago Peak phacelia)																		X	
Phacelia monoensis (Mono County phacelia)									X										
Phacelia novenmillensis (Nine Mile Canyon phacelia)									X			X							
Phacelia stebbinsii (Stebbins's phacelia)								X			X								
Phaeocollybia olivacea (olive phaeocollybia)	X		X	X			X				X								
Phlox dolichantha (Big Bear Valley phlox)																			X
Pinus albicaulis (whitebark pine)	X		X		X	X		X	X	X	X	X	X	X					
Plagiobothrys collinus ursinus (Cooper's popcornflower)																			X
Plagiobothrys parishii (Parish's popcornflower)									X										
Plagiobothrys uncinatus (hooked popcornflower)																		X	
Platanthera yosemitensis (Yosemite bog orchid)													X						
Poa sierrae (Sierra blue grass)					X		X	X			X								
Polemonium chartaceum (Mason's sky pilot)	X		X							X									
Polyctenium williamsiae (Williams's combleaf)										X									
Potentilla morefieldii (Morefield's cinquefoil)										X									
Potentilla rimicola (cliff cinquefoil)																			X
Prosartes parvifolia (Siskiyou bells)				X															
Pyrrocoma lucida (sticky pyrrocoma)					X		X				X								
Pyrrocoma uniflora var. gossypina (Bear Valley pyrrocoma)																			X
Quercus dumosa (Nuttal's scrub oak)																			X
Raillardella pringlei (showy raillardella)	X		X																
Ramalina thrausta (angelhair)				X															
Ribes canthariforme (Moreno currant)																		X	
Rorippa columbiae (Columbia yellow cress)	X		X		X	X													
Rorippa subumbellata (Tahoe yellow cress)											X								
Rupertia hallii (Hall's rupertia)					X														
Saltugilia latimeri (Latimer's woodland-gilia)													X						X
Sanicula maritima (adobe sanicle)																		X	
Sanicula tracyi (Tracy's sanicle)				X															
Satureja chandleri (San Miguel savory)																		X	
Scheuchzeria palustris (American scheuchzeria)					X														
Schoenus nigricans (black bog-rush)																			X
Scutellaria bolanderi ssp. austromontana (southern skullcap)																X	X		X
Sedum albomarginatum (Feather River stonecrop)					X		X												
Sedum niveum (Davidson's stonecrop)																			X
Sedum obtusatum ssp. paradisum (Canyon Creek stonecrop)				X	X														
Senecio pattersonensis (Mono ragwort)							X	X											

Pacific Southwest Region, Regional Forester's Sensitive Species List. National direction for designation and management of sensitive species can be found in Forest Service Manual (FSM) 2670.

Sensitive Plant Species by Forest

			X														
2013 Plant List: Number of Sensitive Plant Species																	